

INTERNATIONAL STANDARD

IEC
60335-2-7

1993

AMENDMENT 2
1999-05

Amendment 2

Safety of household and similar electrical appliances –

Part 2-7: Particular requirements for washing machines

Amendement 2

Sécurité des appareils électrodomestiques
et analogues –

Partie 2-7:
Règles particulières pour les machines à laver
le linge

IECNORM.COM: View full PDF & IEC 60335-2-7:1993/AMD2:1999

© IEC 1999 — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland
e-mail: inmail@iec.ch
IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

C

For price, see current catalogue

FOREWORD

This amendment has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

FDIS	Report on voting
61/1565/FDIS	61/1608/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

7 Marking and instructions

7.10 Replace the text of the addition by:

If the **off position** is only indicated by letters, the word "off" shall be used.

10 Power input and current

Add:

10.2 Addition:

NOTE – The selected representative period is the period during which the current is the highest.

15 Moisture resistance

15.2 Add the following as the penultimate paragraph of the replacement:

For appliances having a working surface, 0,5 l of water containing approximately 1 % NaCl and 0,6 % of acid rinsing agent, as specified in annex AA of IEC 60335-2-5, is poured over the top of the appliance, the controls being placed in the on position. The control knobs are then operated through their working range, this operation being repeated after a period of 5 min.

19 Abnormal operation

19.13 Add:

During the tests of 19.101, the temperature of windings shall not exceed the values shown in table 6.

19.101 Delete the second paragraph.

24 Components

Replace the text by:

This clause of part 1 is applicable, except as follows:

24.1.2 *Addition:*

The number of cycles of operation for programmers is 3 000.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-7:1993/AMD2:1999